

Top Hung/Fire Escape Evacuation Roof Window

DoP Ref:
K02/14351/13

EN 14351-1

Year of affixation:
13**1. Product Type:**

Keylite Top Hung/Fire Escape Roof Window

2. Unique Identification Code(s):

ID card

**3. Intended use of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:**

Domestic and commercial locations without any reaction to fire or fire resisting requirements.

4. Manufacturer:KEYLITE ROOF WINDOWS
Derryloran Industrial Est.
Sandholes Road, Cookstown
Co. Tyrone BT80 9LU**5. System of System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of the CPR:**

System 3

6. Harmonised Standard:

EN 14351-1+A1:2010

7. Notified Body:Centre of Building Construction Engineering -
Notified body
1390 – CSI, a.s. Praha , workplace Zlín,
K Cihelně 304, 764 32 Zlín – Louky

Top Hung/Fire Escape Evacuation Roof Window

DoP Ref:
K02/14351/13

EN 14351-1

Year of affixation:
13

8. Declared Performance:

Essential Characteristic	Performance	Harmonised Technical Specification
Resistance to wind load	Class C3	EN 14351-1+A1:2010
Resistance to snow load	4H-20, Ar-4TM	
Water tightness	Class E1050	
Impact resistance (external impact)	Class 2 – 300mm	
Load-bearing capacity of safety devices	Pass	
Acoustic performance	npd	
Thermal transmittance	1,3 W/(m ² K)	
Radiation properties – solar factor	0.63	
Radiation properties – Light transmittance	0.80	
Air permeability	Class 3	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Date:

08.08.2014

Signed:

Andy Neal

(Operations Director)