

Centre Pivot Roof Window

DoP Ref:
01/14351/09Year of affixation:
09**1. Product Type:**

Keylite Centre Pivot Roof Window

2. Unique Identification Code(s):

ID card

**3. Intended use of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer:**

Domestic and commercial locations without any reaction to fire or fire resisting requirements.

4. Manufacturer:KEYLITE ROOF WINDOWS
Derryloran Industrial Est.
Sandholes Road, Cookstown
Co. Tyrone BT80 9LU**5. System of System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V of the CPR:**

System 3

6. Harmonised Standard:

EN 14351-1+A1:2010

7. Notified Body:Centre of Building Construction Engineering -
Notified body
1390 – CSI, a.s. Praha , workplace Zlín,
K Cihelně 304, 764 32 Zlín – Louky

Centre Pivot Roof Window

 DoP Ref:
01/14351/09

 Year of affixation:
09

8. Declared Performance:

Essential Characteristic	Performance	Harmonised Technical Specification
Resistance to wind load	Class C4	EN 14351-1+A1:2010
Resistance to snow load	4H-20, Ar-4TM	
Water tightness	Class - E 1050	
Impact resistance (external impact)	Class 2 – 300mm	
Load-bearing capacity of safety devices	Pass	
Acoustic performance	28 (-1;-2) dB	
Thermal transmittance	1,3 W/(m ² K)	
Radiation properties – solar factor	0.63	
Radiation properties – Light transmittance	0.80	
Air permeability	Class 2	

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Date:
14.08.2014

Signed:



Andy Neal
(Operations Director)